

Molecular Cell Research

Vol. 1269, 1995



Cumulative Contents _____

Regular Section		Src-transformation of mouse fibroblasts induces a	
Short Sequence-Paper		Ca ²⁺ -activated K ⁺ current without changing the T-type Ca ²⁺ current	
Cloning and structural analysis of the gene for cAMP-dependent protein kinase catalytic subunit		H.J. Draheim, H. Repp and F. Dreyer (Germany)	57
from Plasmodium yoelii A. Saito-Ito, S. He, M. Kimura, T. Matsumura and K. Tanabe (Japan)	1	Subsection	
Regular Papers		Short Sequence-Paper	
Metabolism of homocysteine, its relation to the other cellular thiols and its mechanism of cell damage in a cell culture line (human histiocytic cell line U-937) B. Hultberg, A. Andersson and A. Isaksson		Bacillus amyloliquefaciens possesses a second type I signal peptidase with extensive sequence similarity to other Bacillus SPases V. Hoang and J. Hofemeister (Germany)	64
(Sweden) Purification and characterization of an endothelial	6	Regular Papers	
cell-viability maintaining factor from fetal bovine serum G. Cai, T. Satoh and H. Hoshi (Japan)	13	The protein kinase from mitotic human cells that phosphorylates Ser-209 on the casein kinase II	
The influence of antioxidants and cycloheximide on the level of nitric oxide in the livers of mice in vivo		β-subunit is p34 ^{cdc2} D.W. Litchfield, D.G. Bosc and E. Slominski (Canada)	69
V.D. Mikoyan, N.V. Voevodskaya, L.N. Kubrina, I.V. Malenkova and A.F. Vanin (Russian Federation)	19	Gangliosides enhance IgE receptor-dependent histamine and LTC4 release from human mast cells T. Zuberbier, C. Pfrommer, J. Beinhölzl, K. Hart-	
Cooperative effects of interferon-γ on the induction of NADPH oxidase by retinoic acid or 1,25 (OH) ₂ -vitamin D ₃ in monocytic U937 cells		mann, J. Ricklinkat and B.M. Czarnetzki (Germany) Oversulfated fucoidan and heparin suppress endotavira induction of plasminagen activator in	79
H. Obermeier, A. Sellmayer, U. Danesch and M. Aepfelbacher (Germany) Lymphoma cells selected for resistance against the	25	toxin induction of plasminogen activator in- hibitor-1 in cultured human endothelial cells: their possible mechanism of action	
cytotoxic effect of oxygenated sterols are also resistant to nonsteroidal antiestrogens		S. Soeda, N. Fujii, H. Shimeno and A. Nagamatsu (Japan)	85
Y.L. Low and P.L.H. Hwang (Singapore) A serpin from human tumor cells with direct lymphoid immunomodulatory activity: mitogenic stimulation of human tumor-infiltrating lympho-	32	Modulation by 1,25(OH) ₂ -vitamin D ₃ of the adenylyl cyclase/cyclic AMP pathway in rat and chick myoblasts G. Vazquez, R. Boland and A.R. De Boland	
cytes B.Z. Packard, S.S. Lee, E. Remold-O'Donnell and		(Argentina) Hydrogen peroxide-and fetal bovine serum-induced	91
A. Komoriya (USA) Mitogenic stimulation of human lymphocytes mediated by a cell surface elastase	41	DNA synthesis in vascular smooth muscle cells: positive and negative regulation by protein kinase C isoforms	
B.Z. Packard, H.S. Mostowski and A. Komoriya (USA)	51	M. Fiorani, O. Cantoni, A. Tasinato, D. Bosco- boinik and A. Azzi (Italy, Switzerland)	98

Regular Section		Regular Section	
		Short Sequence-Paper	
Regular Papers		The trypanosomatid Rieske iron-sulfur proteins have a cleaved presequence that may direct mitochon-	
Identification of a mechanism of iron uptake by cells which is stimulated by hydroxyl radicals generated via the iron-catalysed Haber-Weiss reaction D.R. Richardson and P. Ponka (Canada)	105	drial import J.W. Priest and S.L. Hajduk (USA)	20
The morphologic change of endothelial cells by ancrod-generated fibrin is triggered by $\alpha_v \beta_3$ integrin binding and the subsequent activation of a	103	Review Mechanisms of iron uptake by mammalian cells	•••
G-protein coupled phospholipase C MC. Chang, JH. Jeng, TC. Cheong and TF.		Z.M. Qian and P.L. Tang (Hong Kong) Regular Papers	20
Huang (Taiwan) Effects of Na ⁺ /H ⁺ antiport and intracellular pH in the regulation of HL-60 cell apoptosis	115	Distribution of A-kinase anchoring proteins in parietal cells	
WH. Zhu and TT. Loh (Hong Kong) Calcium signals in olfactory neurons E. Tareilus, J. Noé and H. Breer (Germany)	122 129	D.T. Dransfield, A.J. Bradford and J.R. Golden- ring (USA)	21.
Interleukin-1 β independently stimulates production of prostaglandin E_2 and cyclic AMP from human decidual cells	129	Characterisation of cell movement by impedance measurement on fibroblasts grown on perforated Si-membranes R. Hagedorn, G. Fuhr, K. Lichtwardt-Zinke, E.	
O.F. Cole, H. Seki, M.G. Elder and M.H.F. Sullivan (UK) Deleterious effects of xanthine oxidase on rat liver	139	Richter, J. Hornung and A. Voigt (Germany) Copper uptake by cultured trophoblast cells isolated from human term placenta	22
endothelial cells after ischemia/reperfusion I. Hamer, R. Wattiaux and S. Wattiaux-De Co- ninck (Belgium)	145	K.K. Tong and H.J. McArdle (UK) Inhibition of prostacyclin release from cultured endo-	233
Modulating hypoxia-induced hepatocyte injury by affecting intracellular redox state	143	thelial cells by nitrovasodilator drugs J.S. Matthews, P.J. McWilliams, B.J. Key and M. Keen (UK)	23
S. Khan and P.J. O'Brien (Canada) Khellin, but not 8-methoxypsoralen, inhibits adenylyl cyclase system in HeLa cells	153	Inhibition mechanism of HSP70 induction in murine FM3A cells maintained at low culture temperature <i>T. Hatayama and T. Masaoka (Japan)</i>	243
A. Di Stefano, L. Trabalzini, R. La Gaetana, L. Parente, P. Lusini and P. Martelli (Italy) Differential expression of thromboxane A synthase	162	Antibodies specific for proteolyzed forms of protein kinase C α H. Kikuchi and S. Imajoh-Ohmi (Japan)	253
and prostaglandin H synthase in megakaryocytic cell line N. Matijevic-Aleksic, S.K. Sanduja, LH. Wang		Activation of silent MDR1 genes in revertant cells by fusion with multidrug-resistant cells K. Yusa, J. Tamura, A. Waki and T. Tsuruo	
and K.K. Wu (USA) The transport of acidic amino acids and their ana-	167	(Japan) A characterization of the chloride conductance in	260
logues across monolayers of human intestinal absorptive (Caco-2) cells in vitro P.L. Nicklin, W.J. Irwin, I.F. Hassan, M. Mackay and H.B.F. Dixon (UK)	176	mesangial cells from the H-2K ^b -tsA58 transgenic mouse R.D. Barber, A.S. Woolf and R.M. Henderson (UK)	267
Subsection		BAP2, a gene encoding a permease for branched- chain amino acids in Saccharomyces cerevisiae M. Grauslund, T. Didion, M.C. Kielland-Brandt and H.A. Andersen (Denmark)	275
Mini-Review		Voltage-activated and spontaneous Cl ⁻ -channel activity in cultured human melanoma cell-line A2058	21.
Protein phosphorylation in apoptosis B.T. Gjertsen and S.O. Døskeland (Norway)	187	M. Kauranen, K. Kiviniitty and M. Weckström (Finland)	281

Vascular smooth muscle cells metabolize endothelin- 1 in the absence of a functional receptor		Cellular distribution of isoforms of protein kinase C (PKC) in pancreatic acini	
C.R. Gandhi (USA)	290	B. Bastani, L. Yang, J.J. Baldassare, D.A. Pollo and J.D. Gardner (USA)	307
Subsection		Some P ₂ purinergic agonists increase cytosolic calcium but not inositol 1,4,5-trisphosphate in iso-	
Regular Papers		lated rat hepatocytes S. Keppens and H. De Wulf (Belgium)	316
Non-receptor cytosolic protein tyrosine kinases from various rat tissues G. Elberg, J. Li, A. Leibovitch and Y. Shechter		Cumulative Contents, Vol. 1269	323
(Israel)	299	Author Index	326

